

according to Regulation (EC) No 1907/2006

OrmoClear®FX_diluted_XP

Revision date: 09.09.2019

Product code: EU-OrmoClearFX_dil

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

OrmoClear®FX_diluted_XP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

UV-härtbares Hybridpolymer für optische Anwendungen.

PC 32: Polymerzubereitungen und -stoffe

SU 16: Herstellung von Computern, elektrischen und optischen Erzeugnissen, elektrischen Anlagen.

Uses advised against

Nicht für private Zwecke (Haushalt) verwenden.

1.3. Details of the supplier of the safety data sheet

Company name:	micro resist technology GmbH	
Street:	Koepenicker Str. 325	
Place:	D-12555 Berlin	
Telephone:	+49 30 641670-100	Telefax:+49 30 641670-200
e-mail:	safety@microresist.de	
Internet:	www.microresist.de	
1.4. Emergency telephone	Chemtrec (International - 24 h): +1 703	3 527 3887
numbor		

<u>number:</u>

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Anisole

1,1,1-Trimethylolpropantri(3-mercaptopropionat)

Warning

Signal word:

Revision No: 1,02



according to Regulation (EC) No 1907/2006

OrmoClear®FX_diluted_XP

Product code: EU-OrmoClearFX_dil

Page 2 of 8

Revision date: 09.09.2019

Pictograms:




Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

recautionaly statemen	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.
P233	Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Labelling of packages where the contents do not exceed 125 ml





Hazard statements

H317

Precautionary statements

P261-P272-P280-P302+P352-P321-P333+P313-P362+P364-P501

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

OrmoClear®FX_diluted_XP

Revision date: 09.09.2019

Product code: EU-OrmoClearFX_dil

Page 3 of 8

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification			
100-66-3	Anisole			<98 %
	202-876-1			
	Flam. Liq. 3, Acute Tox. 4, Skin Irrit	. 2, Eye Irrit. 2, STOT SE 3; H226 H3	332 H315 H319 H335	
33007-83-9	1,1,1-Trimethylolpropantri(3-mercaptopropionat)			1-15 %
	251-336-1			
	Acute Tox. 4, Skin Sens. 1, Aquation	Acute 1, Aquatic Chronic 1; H302 H	317 H400 H410	
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			<1 %
	278-355-8	015-203-00-X		
	Repr. 2, Aquatic Chronic 3; H361f	H412		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or



according to Regulation (EC) No 1907/2006

OrmoClear®FX_diluted_XP

Revision date: 09.09.2019

Product code: EU-OrmoClearFX_dil

Page 4 of 8

surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

UV-härtbares Hybridpolymer für optische Anwendungen.
PC 32: Polymerzubereitungen und -stoffe
SU 16: Herstellung von Computern, elektrischen und optischen Erzeugnissen, elektrischen Anlagen.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or



according to Regulation (EC) No 1907/2006

OrmoClear®FX_diluted_XP

Product code: EU-OrmoClearFX_dil

Page 5 of 8

Revision date: 09.09.2019

drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid
pH-Value:	not determined
Changes in the physical state	
Melting point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	43 °C
Flammability	
Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature	
Solid: Gas:	not applicable not applicable
Decomposition temperature:	not determined
	not determined
Oxidizing properties Not oxidising.	
Vapour pressure:	not determined
Density:	1 g/cm³
Water solubility:	The study does not need to be conducted because the substance is known to be
	insoluble in water.
Solubility in other solvents not determined	
Partition coefficient:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
9.2. Other information	
Solid content:	not determined



according to Regulation (EC) No 1907/2006

OrmoClear®FX_diluted_XP

Revision date: 09.09.2019

Product code: EU-OrmoClearFX_dil

Page 6 of 8

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ATEmix calculated

ATE (inhalation vapour) 11,22 mg/l; ATE (inhalation aerosol) 1,531 mg/l

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
100-66-3	Anisole					
		LD50 mg/kg	3700	Rat		
	inhalation vapour	ATE	11 mg/l			
	inhalation aerosol	ATE	1,5 mg/l			
33007-83-9	1,1,1-Trimethylolpropantri	(3-mercapto	propionat)			
		ATE mg/kg	500			

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
33007-83-9	1,1,1-Trimethylolpropantri(3-mercaptopropiona	t)			
	Acute fish toxicity	LC50 0,42 mg/l	96 h	Oncorhynchus mykiss	OECD 203	
	Acute crustacea toxicity	EC50 0,71 mg/l	48 h	n Daphnia magna	OECD 202	

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

OrmoClear®FX_diluted_XP

Revision date: 09.09.2019

Product code: EU-OrmoClearFX_dil

Page 7 of 8

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-66-3	Anisole	2,11
33007-83-9	1,1,1-Trimethylolpropantri(3-mercaptopropionat)	3

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

98 %
98 %
E2 Hazardous to the Aquatic Environment
P5c
Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
3 - highly water contaminating
Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No 1907/2006

OrmoClear®FX_diluted_XP

Revision date: 09.09.2019

Product code: EU-OrmoClearFX_dil

Page 8 of 8

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)