

## Publications

1. Zur Frage der Variabilität bei gefärbten Arzneiformen, H. Eckert und T. Eckert, Die Pharmazeutische Industrie, 36, 655-656 (1974).
2. Bestimmung der Wasserverdunstung der Haut mit einer Wasserdiffusionsmethode, H. Eckert, Deutsche Apotheker-Zeitung, 117, 1077-1078 (1977).
3. NMR Untersuchungen über molekulare Bewegungsprozesse in Phenylensulfiden, J. Jurga, H. Eckert und W. Müller-Warmuth, Z. Naturforsch., 34, 1216-1224 (1979).
4. Nuclear Magnetic Resonance and Mössbauer Spectroscopy of Glasses, W. Müller-Warmuth und H. Eckert, Phys. Rep., 88, 91-149 (1982).
5. Non-Stoichiometric Channel Chalcogenides  $Tl_xV_5S_8$ : Topotactic Redox Reactions and NMR Studies, W. Schramm und R. Schöllhorn, H. Eckert und W. Müller-Warmuth, Mat. Res. Bull., 18, 1283-1289 (1983).
6. Non-Stoichiometric Channel Chalcogenides  $Tl_xV_6S_8$ : Topotactic Redox Reactions and NMR Studies, H. Eckert, W. Müller-Warmuth, W. Schramm und R. Schöllhorn, Solid State Ionics, 13, 1-6 (1984).
7. NMR Studies of the System B-S-Tl, H. Eckert, W. Müller-Warmuth, W. Hamann und B. Krebs, J. Non-Cryst. Solids, 65, 53-62 (1984).
8. A Charge Transfer Model of Lewis Base Intercalation Compounds of FeOCl, H. Eckert und R. H. Herber, J. Chem. Phys., 80, 4526-4540 (1984).
9. FT-IR Evidence for Neutral and Cationic Species Resulting from the Intercalation of Pyridine into FeOCl, A. Salmon, H. Eckert, und R. H. Herber, J. Chem. Phys., 81, 5206-5209 (1984).
10. Mössbauer Spectroscopy of Intercalation Compounds, R.H. Herber und H. Eckert, Chemical Mossbauer Spectroscopy, ed. R.H. Herber, Plenum Press: New York, p. 133-175, (1984), (invited review).
11. Electron Hopping in FeOCl Intercalation Compounds: A Mossbauer Relaxation Study, R. H. Herber und H. Eckert, Phys. Rev. B, 31, 34-41, (1985).
12. Solid State  $^{11}B$  NMR Studies on Boron-Chalcogenide Systems, H. Hürter, B. Krebs, H. Eckert und W. Müller-Warmuth, Inorg. Chem, 24, 1288-1292 (1985).
13. Glasses in the System P-Se-Tl: An NMR Study of Chemical Bonding Properties, H. Eckert und W. Müller-Warmuth, J. Non-Cryst. Solids, 70, 199-210 (1985).
14. Lithium Insertion Compounds of the High- and Low-Temperature Polymorphs of  $LiFeSnO_4$ , M. Greenblatt, E. Wang, H. Eckert, N. Kimura, R.H. Herber und J. V. Wasscsak, Inorg. Chem., 24, 1661-1665 (1985).

15. Isotopic Labeling of Tyrosine, Followed by  $^{17}\text{O}$  NMR, H. Eckert und D. Fiat, *Int. J. Peptide Protein Res.*, 27, 613-616 (1986).
16. Sulfur-33 NMR at Natural Abundance in Solids, H. Eckert und J.P. Yesinowski, *J. Am. Chem. Soc.*, 108, 2140-2146 (1986).
17.  $^{13}\text{C}$  CP-MAS Studies of Chemically Modified Polydiacetylene Analogs, J.P. Yesinowski, H. Eckert und D.J. Sandman, *ACS Polymer Preprints*, 54, 571-577 (1986).
18. Structure, Bonding and Lattice Dynamics of Tri-and Tetraphenyltin Derivatives as Studied by Mössbauer and Multinuclear NMR Spectroscopy, B.King, H. Eckert, D.Z. Denney und R. H. Herber, *Inorg. Chim. Acta*, 122, 45-53 (1986).
19. Crystal-to-Crystal Transformation and Site Selectivity Upon Bromination of a Polydiacetylene, D.J. Sandman, B.S. Elman, G.P. Hamill, C.S. Velazquez, J.P. Yesinowski und H. Eckert, *Mol. Cryst. Liq. Cryst. Letters*, 4, 77-85 (1987).
20. Solid State Bromination of Poly(1,6-di-carbazolyl-2,4-hexadiyne): A  $^{13}\text{C}$  CP-MAS NMR Study, H. Eckert, J.P. Yesinowski, D.J. Sandman und C.S. Velazquez, *J. Am. Chem. Soc.*, 109, 761-768 (1987).
21. Solid-State Reaction of Poly(1,6-di-N-carbazolyl-2,4-hexadiyne) with Electrophiles: A  $^{13}\text{C}$  Cross-Polarization/Magic Angle Spinning NMR Study, J.P. Yesinowski, H. Eckert, D.J. Sandman und C.S. Velazquez, *ACS Symposium Series: "Solid-State Polymerization"*, 337, 230-252 (1987).
22.  $^{51}\text{V}$  NMR as a Probe of Metal Ion Binding in Metalloproteins, A. Butler, M.J. Danzitz, und H. Eckert, *J. Am. Chem. Soc.*, 109, 1864-1865 (1987).
23. Mössbauer Spectroscopy in Mixed Valence Compounds, (invited review article), H. Eckert, in *"Mössbauer Spectroscopy Applied to Inorganic Chemistry, Vol. II"*, G.J. Long, ed., pp. 125-208 (1987).
24. The State of Water in Rhyolitic Glasses: A Deuterium NMR Study, H. Eckert, J.P. Yesinowski, E.M. Stolper, T.R. Stanton und J. Holloway, *J. Noncryst. Solids*, 93, 93-114 (1987).
25. Hydrogen Environments in Calcium Phosphates:  $^1\text{H}$  MAS-NMR at High Spinning Speeds, J.P. Yesinowski und H. Eckert, *J. Am. Chem. Soc.*, 109, 6274-6282 (1987).
26. A Calcium Hydroxyapatite Precipitated from an Aqueous Solution: An International Multimethod Analysis, J. Arends, J. Christoffersen, M.R. Christoffersen, H. Eckert, B.O. Fowler, J.C. Heughebart, G.H. Nancollas, J.P. Yesinowski und S.J. Zawacki, *J. Crystal Growth*, 84, 515-532 (1987).
27. Synthesis of  $^{17}\text{O}$  Isotope Labeled Leu-Enkephalin and  $^{17}\text{O}$  N.M.R., E. Ponnusamy, H. Eckert und D. Fiat, *Int. J. Peptide Protein Res.*, 32, 21-27 (1988).
28. Electron Hopping in Lithiated Spinels: A Temperature Dependent Mössbauer Study, H. Eckert, C.J. Chen, M. Greenblatt und R.H. Herber, *J. Phys. Chem. Solids*, 49, 71-77 (1988).

29. Characterization of Hydrated Species in Minerals by High-Speed  $^1\text{H}$  MAS-NMR, J.P. Yesinowski, H. Eckert und G.R. Rossman, *J. Am. Chem. Soc.*, 110, 1367-1375 (1988).
30. Water in Silicate Glasses: Quantitation and Structural Studies by  $^1\text{H}$  Solid Echo and MAS-NMR Methods, H. Eckert, J.P. Yesinowski, E.M. Stolper und L.A. Silver, *J. Phys. Chem.*, 92, 2055-2064 (1988).
31.  $^{51}\text{V}$  NMR: A New Probe of Structure and Bonding in Catalysts, H. Eckert und I.E. Wachs in "Microstructure and Properties of Catalysts", M.M.J. Tracy, J.M. Thomas, J.M. White (eds.), *Mater. Res. Soc. Symp. Proc.*, 111, 459-464 (1988).
32. Glassy Carbons from poly-Furfuryl Alcohol Copolymers. Structural Studies by High Resolution Solid State NMR Techniques, H. Eckert, Y. Levendis und R.C. Flagan, *J. Phys. Chem.*, 92, 5011-5019 (1988).
33. NMR Studies of Chalcogenide Glasses: The System Phosphorus-Selenium, David Lathrop und Hellmut Eckert, *J. Non-Cryst. Solids*, 106, 417-420 (1988).
34.  $^{31}\text{P}$  Magic Angle Spinning NMR of Crystalline Phosphorus Sulfides. Correlation of  $^{31}\text{P}$  Chemical Shielding Tensors with Local Environments, H. Eckert, C.S. Liang und G.D. Stucky, *J. Phys. Chem.*, 93, 452-457 (1989).
35. Quantitative NMR Studies of Water in Silicate Glasses, H. Eckert, J.P. Yesinowski und E.M. Stolper, *Solid State Ionics*, 32/33, 298-313 (1989).
36. Glass-formation in Non-Oxide Chalcogenide Systems. Structural Elucidation of  $\text{Li}_2\text{S}-\text{SiS}_2-\text{LiI}$  Solid Electrolytes by Quantitative  $^{29}\text{Si}$ ,  $^6\text{Li}$  and  $^7\text{Li}$  High Resolution Solid State NMR Methods, H. Eckert, Z. Zhang und J.H. Kennedy, *J. Noncryst. Solids*, 107, 271-282 (1989).
37.  $^{51}\text{V}$  NMR as a Probe of Vanadium(V) Coordination to Human Apotransferrin, A. Butler und H. Eckert, *J. Am. Chem. Soc.*, 111, 2802-2809 (1989).
38. Solid State NMR Studies of Ionically Conductive Non-Oxide Chalcogenide Glasses, H. Eckert, Z. Zhang und J.H. Kennedy, *Mater. Res. Soc. Symp. Proc.*, 135, 259-264 (1989).
39. Structural Models for Non-Oxide Chalcogenide Glasses. Atomic Distribution and Local Order in the System Phosphorus-Selenium Studied by  $^{31}\text{P}$  Dipolar NMR Spectroscopy, D. Lathrop und H. Eckert, *J. Am. Chem. Soc.*, 111, 3536-3641 (1989).
40. Competitive Network Modification in Non-Oxide Chalcogenide Glasses. Structural and Motional Properties of Glasses in the System  $\text{Li}_2\text{S}-\text{P}_2\text{S}_5-\text{B}_2\text{S}_3$  Studied by Multinuclear NMR Techniques, Z. Zhang, J.H. Kennedy, J. Thompson, S. Anderson, D.A. Lathrop und H. Eckert, *Appl. Phys. A.*, 49, 41-54 (1989).
41. Solid State  $^{51}\text{V}$  NMR Structural Studies on Supported Vanadium(V) Oxide Catalysts: Vanadium Oxide Surface Layers on Alumina and Titania Supports, H. Eckert und I.E. Wachs, *J. Phys. Chem.*, 93, 6796-6805 (1989).

42. In-situ  $^{27}\text{Al}$  NMR Studies of Cement Hydration: The Effect of Lithium Containing Setting Accelerators, T. Luong, H. Mayer, H. Eckert und T. Novinson, *J. Am. Ceram. Soc.*, 72, 2136-2141 (1989).
43. Chemical Disorder in Non-Oxide Chalcogenide Glasses. Site Speciation in the System Phosphorus-Selenium by Magic Angle Spinning NMR at Very High Spinning Speeds, D. Lathrop und H. Eckert, *J. Phys. Chem.*, 93, 7895-7902 (1989).
44. Synthesis and Characterization of III-V Semiconductor Clusters: GaP in Zeolite Y, J.E. Mac Dougall, H. Eckert, G.D. Stucky, N. Herron, Y. Wang, K. Moller, T. Bein und D. Cox, *J. Am. Chem. Soc.*, 111, 8006-8007 (1989).
45. Structural Characterization of Non-Oxide Chalcogenide Glasses using Solid State NMR (invited review), H. Eckert, *Angew. Chem. (Adv. Mater.)*, 101, 1763-1772 (1989).
46. Structural Transformation of Thiosilicate Glasses:  $^{29}\text{Si}$  MAS-NMR Evidence for Edge-sharing in the System  $\text{Li}_2\text{S}-\text{SiS}_2$ , H. Eckert, J.H. Kennedy, A. Pradel und M. Ribes, *J. Noncryst. Solids*, 113, 287-293 (1989).
47. Synthesis and Characterization of Two Regiochemically Defined Poly(dialkylbithiophenes): A Comparative Study, R.M. Souto Maior, K. Hinkelmann, H. Eckert und F. Wudl, *Macromolecules*, 23, 1268-1279 (1990).
48. Glasses in the System Phosphorus-Sulfur: A  $^{31}\text{P}$  Spin-Echo and High Speed MAS-NMR Study of Atomic Distribution and Local Order, M. Tullius, D. Lathrop und H. Eckert, *J. Phys. Chem.*, 94, 2145-2150 (1990).
49. Structural Tailoring of Silicon Chalcogenide Glasses: Compositional Control of Edge-Sharing Units as Monitored by  $^{29}\text{Si}$  Solid State NMR, K. Moran, R.K. Shibaou und H. Eckert, *Hyperfine Interactions*, 62, 55-64 (1990).
50. Solid State  $^{51}\text{V}$  NMR Structural Studies of Vanadium(V) Oxide Catalysts Supported on  $\text{TiO}_2$  (Anatase) and  $\text{TiO}_2$  (Rutile). The Influence of Surface Impurities on the Vanadium(V) Coordination, H. Eckert, G. Deo, I.E. Wachs und A.M. Hirt, *Colloids and Surfaces*, 45, 347-359 (1990).
51. Ionically Conductive Sulfide-Based Lithium Glasses, J.H. Kennedy, Z. Zhang und H. Eckert, *J. Noncryst. Solids*, 123, 328-338 (1990).
52.  $^{31}\text{P}$  Dipolar NMR Approaches Toward the Development of Structural Principles in Non-Oxidic Glasses, H. Eckert, D. Franke, D. Lathrop, R. Maxwell und M. Tullius, *Mater. Res. Soc. Symp. Proc.*, 172, 193-198 (1990).
53. Synthesis and Characterization of Surface-Capped, Size-Quantized CdS Clusters. Chemical Control of Cluster Size, N. Herron, Y. Wang und H. Eckert, *J. Am. Chem. Soc.*, 112, 1322-1326 (1990).
54. NMR Spectroskopie (annual review 1989), H. Eckert, *Nachrichten aus Chemie, Technik und Laboratorium*, 38, 208-211 (1990).

55. Structural Transformation of Non-Oxide Chalcogenide Glasses. The Short-Range Order of  $\text{Li}_2\text{S}-\text{P}_2\text{S}_5$  Glasses Studied by Quantitative  $^{31}\text{P}$  and  $^{6,7}\text{Li}$  High-Resolution Solid-State NMR, H. Eckert, Z. Zhang und J.H. Kennedy, *Chemistry of Materials* 2, 273-279 (1990).
56. Models for Structural Environments in Silicon Chalcogenide Glasses. Synthesis, Characterization and Single Crystal X-ray Structures of  $\text{Si}(\text{SC}_6\text{H}_5)_4$  and  $\text{Si}(\text{SeC}_6\text{H}_5)_4$ , R.K. Shiba, N. Keder und H. Eckert, *Inorg. Chem.*, 29, 4163-4166 (1990).
57. Heteronuclear X-Y Decoupling in MAS-NMR Spectroscopy of Inorganic Solids, R. Maxwell, D. Lathrop, D. Franke und H. Eckert, *Angew. Chem.*, 29, 882-884 (1990).
58. Reply to Comment on " $^{31}\text{P}$  NMR Spectroscopy of Solid Phosphorus Sulfides", H. Eckert, *J. Phys. Chem.*, 94, 6515-6516 (1990).
59. Molecular Structure - Reactivity Relationships of Supported Vanadium Oxide Catalysts, *Prep. Am Chem. Soc. Petrol. Chem. Div.*, 35, 16-21 (1990)
60. Structural Concepts for Disordered Inorganic Solids. Modern NMR Approaches and Strategies, H. Eckert (invited review), *Ber. Bunsenges. Phys. Chem.*, 94, 1062-1085 (1990).
61. Dipolar NMR Spectroscopy of Non-Oxidic Glasses. Structural Characterization of the System Phosphorus-Selenium by  $^{31}\text{P}$ - $^{77}\text{Se}$  Spin Echo Double Resonance NMR, D. Lathrop und H. Eckert, *J. Am. Chem. Soc.*, 112, 9017-9019 (1990).
62. Vanadium-51 NMR Characterization of V-Contaminated Aluminas and Aluminosilicate Gels, P.S. Iyer, H. Eckert, M.L. Occelli und J.M. Stencel, In *Fluid Catalytic Cracking: Concepts in Catalyst Design*, ACS Symposium Series, Vol. No. 452, M.L. Occelli, Ed., Washington, D.C., p. 242 (1991).
63. Structural Studies of Covalent Non-Oxidic Glasses. Solid State  $^{113}\text{Cd}$  Wide-Line, Magic-Angle-Spinning, and Spin-Echo NMR Spectroscopy of Glasses in the System  $\text{CdAs}_2$ - $\text{CdGeAs}_2$ , D. Franke und H. Eckert, *J. Phys. Chem.*, 95, 331-336 (1991).
64. Vanadium (V) Environments in Bismuth Vanadates: A Structural Investigation Using Raman Spectroscopy and Solid State  $^{51}\text{V}$  NMR, F.D. Hardcastle, I.E. Wachs, H. Eckert und D.A. Jefferson, *J. Solid State Chem.*, 90, 194-210 (1991).
65. Aluminum Substitution in the Glass System  $0.33[(1-x)\text{P}_2\text{S}_5x\text{Al}_2\text{S}_3]-0.67 \text{Li}_2\text{S}$ , J.H. Kennedy, C. Schupp, H. Eckert und M. Ribes, *Solid State Ionics*, 45, 21-27 (1991).
66. Structural Principles in Non-Oxide Chalcogenide Glasses. Site Speciation in the System P-As-Se as Investigated by High-Speed  $^{31}\text{P}$  MAS NMR, D. Lathrop, M. Tullius, T. Tepe und H. Eckert, *J. Noncryst. Solids*, 128, 208-215 (1991).
67. Quantitative Determination of Structural Units in Phosphorus-Selenium Glasses by  $^{31}\text{P}$  Dipolar and MAS NMR Spectroscopy, D. Lathrop und H. Eckert, *Phys. Rev.B*, 43, 7279-7287 (1991)
68. Structural Models for Covalent Non-Oxidic Glasses. Atomic Distribution and Local Order in Glassy  $\text{CdGeP}_2$  Studied by  $^{31}\text{P}$  and  $^{113}\text{Cd}$  MAS, Spin Echo, and  $^{31}\text{P}$ - $^{113}\text{Cd}$  Spin Echo

- Double Resonance NMR Spectroscopy, D. Franke, R. Maxwell, D. Lathrop und H. Eckert, *J. Am. Chem. Soc.*, 113, 4822-4830 (1991).
69. Structures and Properties of New Zeolite X-Type Zincophosphate and Beryllphosphate Molecular Sieves, W.T.A. Harrison, T.E. Gier, K.L. Moran, J.M. Nicol, H. Eckert und G.D. Stucky, *Chem. Mater.*, 3, 27-29 (1991).
  70. High Frequency and Solid State NMR Techniques for the Study of Ionically Conductive Glasses, J.H. Kennedy, Zh. Zhang und H. Eckert, *Mater. Res. Soc. Symp. Proc.*, 210, 611-620 (1991).
  71. Atomic Distribution in Crystalline II-IV-V<sub>2</sub> Semiconductor Alloys. <sup>31</sup>P and <sup>113</sup>Cd Magic Angle Spinning, Spin Echo, and <sup>31</sup>P-<sup>113</sup>Cd Spin Echo Double Resonance NMR Studies of the Systems ZnGeAs<sub>2-x</sub>P<sub>x</sub> and CdGeAs<sub>2-x</sub>P<sub>x</sub>, D.R. Franke, K. Banks, R. Maxwell und H. Eckert, *J. Phys. Chem.*, 96, 1906-1915 (1992).
  72. Heteronuclear X-Y Double Quantum MAS-NMR in Crystalline Inorganic Solids. Applications for Indirect Detection and Spectral Editing of Rare-Spin Resonances, D. Franke, C. Hudalla und H. Eckert, *Solid State NMR*, 1, 33-40 (1992).
  73. Structural Characterization of Non-Crystalline Solids and Glasses by Solid State NMR, (invited review), H. Eckert, *Progress in NMR Spectroscopy*, 24, 159-293, (1992).
  74. Survey of Chemical Reactivity of C<sub>60</sub>, Electrophile and Dieno/Polarophile par Excellence, F. Wudl, A. Hirsch, K. Khemani, T. Suzuki, P.M. Allemand, A. Koch, H. Eckert, G. Srdanov und H.M. Webb, *ACS Symp. Ser.*, 481, 161-175, (1992).
  75. High Frequency Alternating Conductivity, Nuclear Magnetic Resonance Relaxation, and Short Range Motion of Ions in Sulfide Glasses, Zh. Zhang, S. Anderson, H. Eckert und J.H. Kennedy, *J. Electrochem. Soc.*, 139, 467-477 (1992).
  76. Dipolar <sup>31</sup>P NMR Spectroscopy of Crystalline Inorganic Phosphorus Compounds, D. Lathrop, D. Franke, R. Maxwell, T. Tepe, R. Flesher, Z. Zhang und H. Eckert, *Solid State NMR*, 1, 73-83, (1992).
  77. Glass Formation and Structure in Non-Oxide Chalcogenide Systems. The Short Range Order of Ag<sub>2</sub>S-P<sub>2</sub>S<sub>5</sub> Glasses Studied by <sup>31</sup>P MAS and Dipolar NMR Techniques, Z. Zhang, J.H. Kennedy und H. Eckert, *J. Am. Chem. Soc.*, 114, 5775-5784, (1992).
  78. Synthesis, Structural, and Optical Characterization of Zinc Chalcogenides in Novel Solid State Hosts, K. Moran, A.W. Ott, T.E. Gier, W.T.A. Harrison, H. Eckert und G.D. Stucky, *Mater. Res. Soc. Symp. Proc.*, 242, 249-254, (1992).
  79. The Interaction of Vanadium with Sepiolite, M.L. Occelli, R.S. Maxwell und H. Eckert, *J. Catalysis*, 137, p. 36 (1992).
  80. Structure of Tris(phenylthio)Phosphine Sulfide, R.K. Shiao, N.L. Keder und H. Eckert, *Acta Cryst. C.*, 48, 1525-1527, (1992).

81. Solid State Nuclear Magnetic Resonance (invited Review), H. Eckert, in C. Evans, R. Brundle, S. Wilson, eds. "Encyclopedia of Materials Characterization," Manning Publications, 460-472, (1992).
82. Structural and Electrical Characterization of Glasses in the System  $\text{Li}_2\text{Se-SiSe}_2$  by  $^{29}\text{Si}$  MAS NMR and Raman Spectroscopy, A. Pradel, V. Michel-Lledos, M. Ribes und H. Eckert, Solid State Ionics, 53-56, 1187-1193 (1992).
83.  $^{31}\text{P}$ - $^{113}\text{Cd}$  and  $^{31}\text{P}$ - $^{29}\text{Si}$  CP/MAS NMR in Inorganic Semiconductors, D. Franke, C. Hudalla, R. Maxwell und H. Eckert, J. Phys. Chem., 96, 7506-7509 (1992).
84. Structural Models for Covalent Non-Oxidic Glasses. Atomic Distribution and Local Order in  $\text{CdGeAs}_{2-x}\text{P}_x$  Glasses Studied by  $^{31}\text{P}$  and  $^{113}\text{Cd}$  Spin Echo and  $^{31}\text{P}$ - $^{113}\text{Cd}$  Spin Echo Double Resonance NMR Spectroscopy, D. Franke, R. Maxwell, D. Lathrop, K. Banks und H. Eckert, Phys. Rev. B. 46, 8109-8118 (1992).
85. Structure of Tris(phenylseleno)phosphine, N.L. Keder, R.K. Shibaou und H. Eckert, Acta Cryst. C., 48, 1670-1671 (1992).
86. Physical and Chemical Characterization of Surface Vanadium Oxide Supported on Titania: Influence of the Titania Phase (Anatase, Rutile, Brookite and B), G. Deo, M. Turek, I. Wachs, T. Machej, J. Haber, N. Das, H. Eckert und A. Hirt, Appl. Catal., 91, 27-42 (1992).
87. Atomic Distribution in Crystalline II-IV- $\text{V}_2$  Semiconductor Alloys. Solid State  $^{31}\text{P}$ ,  $^{113}\text{Cd}$  MAS, and  $^{31}\text{P}$ - $^{113}\text{Cd}$  Heteronuclear Double Quantum Filtering NMR Studies of the System  $\text{Zn}_x\text{Cd}_{1-x}\text{GeP}_2$ , D. Franke, K. Banks und H. Eckert, J. Phys. Chem. 96, 11048-11054 (1992).
88. Spectral Editing in MAS-NMR of Aprotic Solids.  $^{31}\text{P}$ - $^{113}\text{Cd}$  Cross-Polarization and Heteronuclear Double Quantum Filtering Studies in II-IV- $\text{V}_2$  Semiconductor Alloys, D. Franke, C. Hudalla und H. Eckert, Solid State NMR 1, 297-306 (1992).
89. Solid State NMR Chemical Shifts of Chalcogenides and Pnictides, H. Eckert, K.L. Moran, D. Franke und C. Hudalla, in "Nuclear Magnetic Shieldings and Molecular Structure, J.A. Tossell, ed., NATO ASI Ser. 386, 49-73 (1993).
90. Compositionally Induced Phase Transitions and Nonlinear Optic Response in  $\text{ABCO}_4$  Structures  $\text{ALiPO}_4$  (A=L, Ba, Pb), C. S. Liang, H. Eckert, T.E. Gier und G.D. Stucky, Chem. Mater., 5, 597-603 (1993)
91. Vanadium Effects on Pillared Reclorites, M.L. Occelli, J.M. Dominguez und H. Eckert, J. Catalysis 141 (2), 510 (1993).
92. Two New Polymorphs of  $\text{SiSe}_2$ : Structural Characterization by Raman and  $^{29}\text{Si}$  MAS NMR Spectroscopies and Relationship to the Structure of Vitreous  $\text{SiSe}_2$ , A. Pradel, V. Michel-Lledos, M. Ribes und H. Eckert, Chem. Mater. 5, 377-380 (1993).
93. Speciation Equilibria, Clustering, and Chemical Exchange Kinetics in Non-Oxide Glasses and Melts: A High-Temperature  $^{31}\text{P}$  NMR Study of the System Phosphorus-Selenium," R. Maxwell und H. Eckert, J. Am. Chem. Soc. 115, 4747-4753 (1993).

94. Bonding States of Surface Vanadium(V) Oxide Phases on Silica: Structural Characterization by V NMR and Raman Spectroscopy, N. Das, H. Eckert, H. Hu, I. E. Wachs, J. Walzer und F. J. Feher, *J. Phys. Chem.* 97, 8240-8243 (1993).
95. Structural Equilibria in Chalcogenide Glass Formation: A Re-Examination of  $^{31}\text{P}$  Magic-Angle Spinning NMR Studies of Glasses in the System Phosphorus-Arsenic-Selenium, *J. Noncryst. Solids* 160, 111-115 (1993).
96. Solid-State Precursor Synthesis of III-V Semiconductors. Part I. The Binary Compounds, R.E. Treece, G.S. Macala, D. Franke, L. Rao, H. Eckert und R.B. Kaner, *Inorg. Chem.*, 32, 2745-2752 (1993).
97. Quantitative Evaluation of Gallium Phosphide Samples Prepared by Rapid Solid State Metathesis: Solid State  $^{31}\text{P}$  and  $^{69}\text{Ga}$  MAS NMR Strategies, D. Franke, R. Treece, R. Kaner und H. Eckert, *Anal. Chim. Acta. (special issue)* 283, 987-995 (1993)
98. Synthesis and Characterization of Mixed ZnSe/GaP Semiconductor Species Included in the Sodalite Structure, K. L. Moran, T. E. Gier, W. T. A. Harrison, G. D. Stucky, H. Eckert, K. Eichele und R. Wasylishen, *J. Am. Chem. Soc.* 115 10553-10558 (1993).
99. Vanadia-Silica Gels and Nanocomposites, A E. Stiegman, H. Eckert, G. Plett, S. S. Kim, M. Anderson und A. Yavrouian, *Chem. Mater.* 5, 1591-1593 (1993)
100. A Study of the System Li-P-Se, R.H.P. Francisco, T. Tepe und H. Eckert, *J. Solid State Chem.* 107, 452-459 (1993).
101. NMR Spectroscopy of Bulk Oxide Catalysts, (invited review), H. Eckert, in A. Bell und A. Pines, eds. "NMR and Catalysis," Marcel Dekker Inc., p.195-230 (1994).
102. Compound Formation and Local Structure in Ternary Metal-Phosphorus-Selenium Systems, R. H. P. Francisco und H. Eckert, *J. Solid State Chem.* 112, 270-276 (1994).
103. Chemical Equilibria in Glass-Forming Melts: High-Temperature  $^{31}\text{P}$  and  $^{77}\text{Se}$  NMR of the System Phosphorus-Selenium, R. Maxwell und H. Eckert, *J. Am. Chem. Soc.* 116, 682-689 (1994),
104. Remote Plasma Enhanced Chemical Vapor Deposited  $\alpha\text{-SiS}_x\text{:H}$ . Characterization by Raman and Solid State NMR Spectroscopies and Relationship with the Structure of Vitreous  $\text{SiS}_2$ , R. K. Shibao, V. Srdanov, M. Hay und H. Eckert, *Chem. Mater.* 6, 306-310 (1994).
105. Oxovanadium(V) Alkoxide Derivatives of 1,2 Diols: Synthesis and Solid State  $^{51}\text{V}$  NMR Characterization. D. Crans, R. A. Felty, H. Chen, H. Eckert und N. Das, *Inorg. Chem.* 33, 2427-2438 (1994).
106. Cyclic Silanes. Sulfur-Induced Pentacoordination in a Disiloxane, R. O. Day, T. K. Prakasha, R. R. Holmes und H. Eckert, *Organometallics*, 13, 1285-1293 (1994)



107. Chemical Bond Distribution and Short Range Order in Non-Oxide Chalcogenide Glasses. New Results from NMR Spectroscopy, T. Tepe, C. Lyda, D. Lathrop, J. Leone und H. Eckert, Mater. Res. Soc. Symp. Proc. 327, 53-58 (1994).
108. Chemical Bond Distribution in Chalcogenide Glasses.  $^{31}\text{P}$  Spin Echo and Magic Angle Spinning NMR in the System Phosphorus-Germanium-Selenium, C. Lyda, T. Tepe, J. Leone und H. Eckert, J. Noncryst. Solids 171, 271-280 (1994)
109. Structural Studies of Noncrystalline Solids Using Solid State NMR. New Experimental Approaches and Results, H. Eckert (invited review), NMR Basic Principles and Progress, 33, 125-198 (1994).
110. The Effects of Phase Impurities on Vanadium Sepiolite Interactions, M. L. Occelli, R. S. Maxwell und H. Eckert, Macroporous Materials 3, 305 (1994).
111. Speciation Equilibria and Chemical Bond Distribution in Chalcogenide Glasses. A  $^{31}\text{P}$  Spin Echo and MAS-NMR Study of the System Phosphorus-Selenium-Tellurium, C. Lyda, T. Tepe, M. Raffetto und H. Eckert, J. Phys. Chem., 98, 9063-9071 (1994)
112. W. Müller-Warmuth zum 65. Geburtstag, Ber. Bunsenges. Phys. Chem. 98, 1336-1337 (1994).
113. Structural Studies of Phosphorus-Sulfur-Tellurium Glasses by  $^{31}\text{P}$  MAS NMR and Vibrational Spectroscopies, C. M. Lyda, J. M. Leone, M. A. Bankert, Y. Xia und H. Eckert, Chem. Mater. 6, 1934-1939 (1994).
114. Plasma Enhanced Chemical Vapor Deposition of Silicon Sulfide and Phosphorus Sulfide Thin Films, R. K. Shibaov, V. I. Srdanov, M. Hay und H. Eckert, Mater. Res. Soc. Symp. Proc., 346, 587-592 (1994).
115. Crystalline Galliosilicate with the Natrolite Structure, M.L. Occelli, E. Goldish and H. Eckert in „Zeolites and related microporous Materials, W. Holderich , H.G. Karge, H. Pfeifer, J. Weitkamp eds., Elsevier Vol. A, page 597 (1994).
116. Depolymerization Kinetics of Glass-Forming Chalcogenide Melts. Coherence Transfer NMR Studies of Phosphorus Selenide, R. Maxwell, H. Erickson, und H. Eckert, Z. Naturforsch. 50a, 395-404 (1995).
117. Intermediate Range Order in Phosphorus-Selenium Glasses. Constraints from  $^{31}\text{P}$  and  $^{77}\text{Se}$  NMR Spectroscopy, R. Maxwell, D. Lathrop, und H. Eckert, J. Noncryst. Solids, 180, 244-250 (1995).
118.  $^{29}\text{Si}$  NMR Structural Studies of Ionically Conductive Chalcogenide Glasses and Model Compounds, A. Pradel, G. Taillades, M. Ribes, und H. Eckert, J. Noncryst. Solids. 188, 75-86 (1995).
119. Molten-State Kinetics in Glass-Forming Systems. A High-Temperature NMR Study of the System Phosphorus-Selenium, R. Maxwell und H. Eckert, J. Phys. Chem. 99, 4768-4778 (1995).

120. Preface, Special Issue on Solid State NMR of Glasses, H. Eckert, *Solid State NMR* 5, 1-2 (1995).
121.  $^{23}\text{Na}$  nuclear magnetic resonance spin echo decay spectroscopy of sodium silicate glasses and crystalline model compounds, Becky Gee, und Hellmut Eckert, *Solid State NMR* 5, 113-122 (1995).
122. Plasma Enhanced Chemical Vapor Deposited Phosphorus Sulfide Films. Characterization by Raman and Solid State NMR Spectroscopies and Comparison to Melt-Quenched Glassy Materials, R.K. Shiba, Y. Xia, V.I. Srdanov and H. Eckert, *Chem. Mater.* 7, 1631-1638 (1995).
123.  $^{27}\text{Al}$  NMR of  $\text{Zr}_{1-x}\text{Al}_x\text{O}_{2-x/2}$  Solid Solutions, M.L. Balmer, N. Das, H. Eckert, und F. F. Lange, *J. Am. Ceram. Soc.* 79, 321-326 (1996).
124. Amorphous Materials. Invited contribution to the "Encyclopedia of NMR Spectroscopy", D. Grant und R. K. Harris, eds. (1996), in Druck.
125. Cation Distribution in Mixed Alkali Silicate Glasses. NMR Studies by  $^{23}\text{Na}$ - $\{^7\text{Li}\}$  and  $^{23}\text{Na}$ - $\{^6\text{Li}\}$  Spin Echo Double Resonance, Becky Gee und H. Eckert, *J. Phys. Chem.*, 100, 3705-3712 (1996)
126. Structure Refinement, Magnetic Susceptibility, Electrical Conductivity and  $^{151}\text{Eu}$  Mößbauer Spectroscopy of  $\text{EuNiIn}_4$ , R. Pöttgen, R. Müllmann, B.D. Mosel und H. Eckert, *J. Mater. Chem.*, 6, 801-805 (1996)
127. Pseudo-tetrahedral  $\text{O}_{3/2}\text{V}=\text{O}$  Centers Immobilized on the Walls of a Mesoporous, Cubic MCM-48 Support: Preparation, Characterization and Reactivity toward water as investigated by  $^{51}\text{V}$  NMR and UV-Vis. Spectroscopy, M. Morey, A. Davidson, H. Eckert und G. Stucky, *Chem. Mater.*, 8, 486-492, (1996).
128.  $^{11}\text{B}$ - $\{^{27}\text{Al}\}$  and  $^{27}\text{Al}$ - $\{^{11}\text{B}\}$  Double Resonance Experiments on a Glassy Sodium Aluminoborate, L. van Wüllen, L. Züchner, W. Müller-Warmuth und H. Eckert, *Solid State NMR*, 6, 203-212 (1996)
129. Crystallization Behavior of  $\text{Li}_{1-5x}\text{Ta}_{1+x}\text{O}_3$  Glasses Synthesized from Liquid Precursors, J.A. Allemann, Y. Xia, R.E. Morriss, A.P. Wilkinson, H. Eckert, J.S. Speck, C.G. Levi und F.F. Lange, *J. Mater. Res.*, 9, 2376-2387 (1996).
130. The Effects of Ga on the Acidic Properties of Galliosilicate Molecular Sieves with the Offretite Structure, A. Auroux, G. Colorio, H. Eckert, P. Ritz, M.L. Occelli, *Proc. Int. Zeolite Conf.*, Seoul, Korea; Elsevier, vol. 105C, p. 1981 (1996).
131. Structural Studies of  $\text{ZrV}_{2-x}\text{P}_x\text{O}_7$  Solid Solutions Using  $^{31}\text{P}$ - $\{^{51}\text{V}\}$  and  $^{51}\text{V}$ - $\{^{31}\text{P}\}$  Rotational Echo Double Resonance NMR, Chr. Hudalla, H. Eckert and Ray Dupree, *J. Phys. Chem.*, 100, 15986-15991 (1996).
132. Synthesis, Characterization and Tunable Electronic/Optical Properties of II-VI Semiconductor Species Included in the Sodalite Structure, K.L. Moran, W.T.A. Harrison, I. Kamber, T.E. Gier, X. Bu, D. Herren, H. Eckert and G.D. Stucky, *Chem. Mater.*, 8, 1930-1940 (1996).

133. Cation Ordering Scenarios in Mixed Alkali Silicate Glasses. Experimental Constraints from  $^{23}\text{Na}\{^6\text{Li}\}$  Spin Echo Double Resonance NMR, B. Gee and H. Eckert, Ber. Bunsenges. Phys. Chem. 100, 1610-1616 (1996).
134. Solid State NMR as a Tool of Structure and Dynamics in Solid State Chemistry and Materials Science: Recent Progress and Challenges, H. Eckert, Current Opinion in Solid State Chemistry and Materials Science, 1, 465-476 (1996)
135. Editorial overview „Characterization Technique“, J.E. Fischer and H. Eckert, Current Opinion in Solid State Chemistry and Materials Science, 1, 463-464 (1996)
136. Connectivities and Cation Distributions in Oxide Glasses: New Results from Solid State NMR, L. van Wüllen, B. Gee, L. Züchner, M. Bertmer und H. Eckert, Ber. Bunsenges. Phys. Chem. 100, 1539-1549 (1996).
137. Synthesis and Characterization of Several Gallium-containing Molecular Sieves with the Offretite Structure, in „Synthesis of Porous Materials: H. Eckert, P.S. Iyer, P. Ritz, Marcel-Dekker, M.L. Occelli, p. 283 (1996).
138. Magnetic and Electric Properties, and  $^{151}\text{Eu}$  Mössbauer Spectroscopy of EuAgGe and EuAuGe, R. Müllmann, B.D. Mosel, H. Eckert, R. Pöttgen und R.K. Kremer, Hyperfine Interact., 108, 389-400 (1997).
139. Magnetic Hyperfine Interactions in the Zintl Phase EuZnSn, U. Ernet, R. Müllmann, B.D. Mosel, H. Eckert, R. Pöttgen und G. Kotzyba, J. Mater. Chem., 7(2), 255-257, (1997)
140. Local Cation Environments in Mixed Alkali Silicate Glasses Studied by Multinuclear Single and Double Resonance Magic Angle Spinning NMR, B. Gee, M. Janssen and H. Eckert, J. Noncryst. Solids., 215, 41-50 (1997).
141. NMR studies of phosphorus in Si-P-Te and Ge-P-Te glasses, M. Witschas, G. Regelsky, H. Eckert, J. Noncryst. Solids., 215, 226-235 (1997).
142. Solid State NMR Strategies for the Structural Investigation of Carbon-Based Anode Materials, S. Hayes, L. van Wüllen, H. Eckert, W.R. Even, R.W. Crocker and Zh. Zhang, Chem. Mater., 9, 901-911 (1997).
143. Alkaline ion Distribution in Mixed-Alkali Chalcogenide Glasses:  $^{23}\text{Na}\{^7\text{Li}\}$  Spin Echo Double Resonance NMR Studies of the System  $[(\text{Na}_2\text{S})_y (\text{Li}_2\text{S})_{1-y}]_{0.5} (\text{GeS}_2)_{0.5}$ , B. Gee, H. Eckert, G. Taillades, A. Pradel and M. Ribes, J. Noncryst. Solids, 215, 32-40 (1997).
144.  $^{31}\text{P}$  to  $^{77}\text{Se}$  Cross Polarization in  $\beta\text{-P}_4\text{Se}_3$ , T. Pietraß, R. Seydoux, R.E. Roth, H. Eckert and A Pines, Solid State Nucl. Magn. Reson., 8, 265-267 (1997).
145. The effects of lattice composition on the physicochemical properties of H-offretite crystals, M.L. Occelli, H. Eckert, C. Hudalla, A. Auroux, P. Ritz, P.S. Iyer, Microporous Materials, vol. 10, p. 123 (1997).

146. Editorial overview, „Characterization Techniques“, H. Eckert and M. Ruhle, *Current Opinion in Solid State Chemistry and Materials Science*, 2, 463-464 (1997).
147. Synthesis and NMR Characterization of Mixed Al, Ga Offretites, A. Auroux, H. Eckert, C. Hudalla, A. Wölker, M.L. Occelli, *Solid State NMR* 9, 143-153 (1997).
148.  $^7\text{Li}$  and  $^6\text{Li}$  Solid State NMR Studies of Structure and Dynamics in  $\text{LiNbO}_3\text{-WO}_3$  Solid Solutions, Yin Xia, Nobuya Machida, Xuehua Wu, Charles Lakeman, Leo van Wüllen, Fred Lange, Carlos Levi, Hellmut Eckert and Stanley Anderson, *J. Phys.Chem. B*, 101, 9180-9187 (1997).
149. Five-Coordinated Silicon in Zeolites: Probing  $\text{SiO}_{4/2}\text{F}$  Sites in Nonasil and ZSM-5 by  $^{29}\text{Si}$  Solid State NMR Spectroscopy, Hubert Koller, Axel Wölker, Hellmut Eckert, Christian Panz, Peter Behrens, *Angew. Chem.*, 109, 2939-3940 (1997), *Angew. Chem. Int. Ed. Engl.* 36, 2823-2814 (1997).
150. Structural Basis of Low-Frequency Excitations in Silicophosphate glasses, O. Kanert, R. Kuechler, J. Peters, A. Volmari, H. Jain, H. Eckert, E. Ratai, *J. Noncryst. Solids*, 222, 321-328 (1997).
151. Spatial Distributions and Chemical Environments of Cations in Single- and Mixed Alkali Borate Glasses: Evidence from Solid State NMR, Eva Ratai, Michael Janssen, Hellmut Eckert, *Solid State Ionics*, 105, 25-37 (1998).
152. Glass-Formation and Local Structure in the Ternary System P-Se-Al. *Solid State NMR Studies*, Chr. Hudalla, B. Weber and H. Eckert, *J. Noncryst. Solids*, 224, 69-79 (1998).
153. FT-IR, FT-Raman and  $^{95}\text{Mo}$  MAS-NMR Studies on the Structure of Ionically Conducting Glasses in the System  $\text{AgI-Ag}_2\text{O-MoO}_3$ , Nobuya Machida, Hellmut Eckert, *Solid State Ionics* 107, 255-268 (1998).
154. A  $^{151}\text{Eu}$  Mössbauer Spectroscopic and Magnetic Susceptibility Investigation of the Intermetallic Compounds  $\text{EuTIn}$  ( $T = \text{Zn, Pd, Pt, Au}$ ), Ralf Müllmann, Bernd D. Mosel, Hellmut Eckert, Gunter Kotzyba, Rainer Pöttgen, *J. Solid State Chem.*, 137, 174-180 (1998).
155. Short Range Order and Site Connectivities in Sodium Aluminoborate Glasses: I. Quantification of Local Environments by High-Resolution  $^{11}\text{B}$ ,  $^{23}\text{Na}$ , and  $^{27}\text{Al}$  Solid State NMR, Lars Züchner, Jerry C.C. Chan, Werner Müller-Warmuth, Hellmut Eckert, *J. Phys. Chem.*, 112, 4495-4506 (1998).
156. High-Resolution Double-Quantum  $^{31}\text{P}$ -NMR: A New Approach to Structural Studies of Thiophosphates, Jörn Schmedt auf der Günne, Hellmut Eckert, *Chem. Eur. J.* 4, 1762-1767 (1998).
157. Double-Quantum Cross-Polarization Between Half-Integer Quadrupolar Spin Systems:  $^{11}\text{B} \leftrightarrow ^{23}\text{Na}$  and  $^{11}\text{B} \leftrightarrow ^{27}\text{Al}$ , J. C.C. Chan, M. Bertmer, H. Eckert, *Chem. Phys. Lett.*, 292, 154-160 (1998).

158. Epitaxial Films of  $\text{Li}_{1-x}\text{Nb}_{1-x}\text{W}_x\text{O}_3$  prepared by Chemical Solution Deposition, Charles D.E. Lakeman, Yin Xia, Jin-Hyeok Kim and Xuehua Wu, Hellmut G. Eckert, Fred F. Lange, *J. Mater. Res.*, 6, 1596-1606 (1998).
159. Solid State NMR Structural Studies of the Ternary Molybdenum Cluster Chalcogenides  $\text{Cd}_x\text{Mo}_6\text{Se}_8$ , Michael Janssen, Hellmut Eckert, Werner Müller-Warmuth, U. Stege, R. Schöllhorn, *Chem. Mater.* 10, 3459-3466 (1998).
160. Evidence of Selective Pairing of Tetrahedral Boron with  $\text{Na}^+$  and of Trigonal Boron with  $\text{H}^+$  in Zeolite B-ZSM-5 from  $^{11}\text{B}\{^{23}\text{Na}\}$ ,  $^{11}\text{B}\{^1\text{H}\}$ , and  $^1\text{H}\{^{11}\text{B}\}$  REDOR, C. Fild, H. Eckert, H. Koller, *Angew. Chem. Int. Ed Engl.* 37, 2505-2507 (1998).
161. Structural and Electrochemical Characterization of Glassy Carbon Prepared from Silicon-Doped, Poly-Methacrylonitrile/Divinylbenzene Copolymer, Sophia E. Hayes, Hellmut Eckert, William R. Even, Jr.; R. Guidotti, *J. Electrochem. Soc.* 146, 2435-2442 (1999).
162. Site Connectivities in Amorphous Materials Studied by Double Resonance NMR of Quadrupolar Nuclei: High Resolution  $^{11}\text{B} \leftrightarrow ^{27}\text{Al}$  Spectroscopy of Aluminoborate Glasses, Jerry C.C. Chan, Marko Bertmer, Hellmut Eckert, *J. Am. Chem. Soc.*, 121, 5238-5248 (1999).
163. Dephasing of Spin Echoes by Multiple Dipolar Interactions in Rotational Echo Double Resonance NMR Experiments, Marko Bertmer, Hellmut Eckert, *Solid State NMR* 15, 139-152 (1999).
164. Solid State NMR Connectivity Studies in Dipolarly Coupled Inorganic Network, Crystal Structure and site Assignments for the Lithium Polyphosphide  $\text{LiP}_5$ , Jörn Schmedt auf der Günne, Sylvia Kaczmarek, Leo van Wüllen, Hellmut Eckert, Dirk Paschke, Aloys J. Foecker, und Wolfgang Jeitschko, *J. Solid State Chem.*, 147, 341-349 (1999).
165. Nuclear Magnetic Resonance (NMR) Studies of the Local Structure of Phosphorus Chalcogenide Glasses: An Overview. Paul Mutolo, Michael Witschas, Guido Regelsky, Jörn Schmedt auf der Günne, Hellmut Eckert, *J. Noncryst. Solids*, 257, 63-72 (1999).
166. Crystalline Gallosilicate with the Beta Structure, M.L. Occelli, H. Eckert, M. Auroux, *Micropor. Mesopor. Mater.* 30, 219-232 (1999).
167. Physical and Chemical Threshold Behavior in Chalcogenide Networks:  $^{119}\text{Sn}$  Mössbauer Spectroscopy of  $\text{Ge}(\text{Sn})\text{-As-Se}$  Glasses, Ralf Müllmann, Bernd D. Mosel und Hellmut Eckert, *Phys. Chem. Chem. Phys.*, 2543-2550 (1999).
168. High-Resolution  $^{27}\text{Al}\text{-}^{31}\text{P}$  Double Resonance Solid-State NMR Studies of Aluminophosphate Glasses, C.C. Chan, H. Eckert, *Phosphorus Research Bulletin Vol.* 10, 475 (1999).
169.  $^{31}\text{P}$  and  $^{23}\text{Na}$  Solid State NMR Studies of Cation Dynamics in HT-Sodium Ortho-Phosphate and the Solid Solutions  $(\text{Na}_2\text{SO}_4)_x\text{-(Na}_3\text{PO}_4)_{1-x}$ , M. Witschas, H. Eckert, *J. Phys. Chem. A* 103, 10764-10775 (1999).