

d 4esc

Page 1/5 Printing date 29.10.2015 Revision: 16.05.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Xenon difluoride

Stock number: 39739, L16703 CAS Number:

EC number:

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

1.3 Details of the supplier of the Manufacturer/Supplier:
Thermo Fisher (Kandel) GmbH Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com

www.alfa.com

Informing department: Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidiser.



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 2 H330 Fatal if inhaled.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

💹 T+; Very toxic

R26: Very toxic by inhalation.

🖳 T; Toxic

R25: Toxic if swallowed.

C; Corrosive

R34: Causes burns.



O: Oxidising

Contact with combustible material may cause fire.

Information concerning particular hazards for human and environment: Not applicable Other hazards that do not result in classification No information known.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms







GHS03 GHS05 GHS06

Signal word Danger Hazard statements

H272 May intensify fire; oxidiser. H301 Toxic if swallowed.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
Store locked up.
P301 Dispose of contents/container in accordance with least/resizes/lensel.

Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances CAS# Designation: 13709-36-9 Xenon difluoride

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Page 2/5 Printing date 29.10.2015 Revision: 16.05.2014

Trade name Xenon difluoride

Identification number(s): EC number: 237-251(Contd. of page 1)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Instantly remove any clothing soiled by the product.
Remove breathing apparatus only after soiled clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

After skin contact

Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1 Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

For safety reasons unsuitable extinguishing agents Halocarbon extinguisher

5.2 Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released: Hydrogen fluoride (HF)

5.3 Advice for firefighters

Protective equipment:
Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
6.3 Methods and material for containment and cleaning up:
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material.

6.4 Reference to other sections

See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas.
Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

7.2 Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and containers: No special requirements.

Requirements to be met by storerooms and containers: No Information about storage in one common storage facility: Store away from flammable substances.
Store away from reducing agents.
Do not store with organic materials.
Store away from metal powders.
Store away from water.
Store away from strong bases.
Store away from oxidising agents.
Further information about storage conditions:
Store under dry inert gas

Store under dry inert gas.
This product is moisture sensitive.

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and keep away from water.
Store in a locked cabinet or with access restricted to technical experts or their assistants.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

13709-36-9 Xenon difluoride (100,0%)

Long-term value: 1 E mg/m³ AGW (Germany) 4(II); als Fluor berechnet; DFG, Y, H

Long-term value: 2,5 mg/m³ PEL (USA)

(Contd. on page 3)

Page 3/5 Printing date 29.10.2015 Revision: 16.05.2014

Trade name Xenon difluoride

(Contd. of page 2) REL (USA) Long-term value: 2,5 mg/m³ as F Long-term value: 2,5 mg/m³ as F, BEI TLV (USA)

Ingredients with biological limit values:

13709-36-9 Xenon difluoride (100,0%)

BGW (Germany)

7,0 mg/g Kreatinin
Untersuchungsmaterial: Urin
Probennahmezeitpunkt: Expositionsende bzw. Schichtende
Parameter: Fluorid

4,0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht

Parameter: Fluorid

BEI (USA) 2 mg/L Medium: urine

Time: prior to shift
Parameter: Fluoride (background, nonspecific)

3 mg/L Medium: uriņe

Time: end of shift Parameter: Fluoride (background, nonspecific)

Additional information: No data

8.2 Exposure controls

8.2 Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Protection of hands:

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves Impervious gloves

Penetration time of glove material (in minutes) Not determined

Eye protection:
Tightly sealed safety glasses.
Full face protection

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance: Form: Colour: Crystalline granules White Not determined Smell: Odour threshold: Not determined pH-value: Not applicable.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 127-129 °C Not determined Not determined

Inflammability (solid, gaseous) Ignition temperature:
Decomposition temperature: Contact with combustible material may cause fire. Not determined

Not determined

Not determined Self-inflammability: Not determined Not determined.

Danger of explosion: Critical values for explosion:

Lower: Not determined Upper: Steam pressure at 25 °C: Density at 20 °C Relative density Not determined 5,2 hPa 4,32 g/cm³ Not determined. Not applicable. Not applicable. Vapour density Evaporation rate Solubility in / Miscibility with

Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. dvnamic kínematic

Not applicable.
No further relevant information available. 9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity May intensify fire; oxidiser.
10.2 Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions
Reacts with strong oxidising agents
Reacts with reducing agents
Reacts with flammable substances
10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Flammable substances

Reducing agents Water/moisture

Water

(Contd. on page 4)

Page 4/5 Printing date 29.10.2015 Revision: 16.05.2014

(Contd. of page 3)

Trade name Xenon difluoride

Oxidising agents

Organic materials Metal powders 10.6 Hazardous decomposition products: Hydrogen fluoride

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity: Fatal if inhaled. Toxic if swallowed.

Toxic it swallowed:
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 90 mg/kg (mouse)

Inhalative LC50/4H 223 mg/m3/4H (mouse)

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effect known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations.

Consult state, local or national regulations for proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14:	I ransport information
UN-Number	

ADR, IMDG, IATA	UN3087
14.2 UN proper shipping name	3087 OXID

3087 OXIDIZING SOLID, TOXIC, N.O.S. (Xenon difluoride) OXIDIZING SOLID, TOXIC, N.O.S. (Xenon difluoride) IMDG, IATA

14.3 Transport hazard class(es)

ADR









Class	5.1 Oxidising substances.
Label	5.1+6.1
Packing group	

ADR, IMDG, IATA

5.1+6.1

14.5 Environmental hazards: 14.6 Special precautions for user Kemler Number:

Warning: Oxidising substances.

5.1 (OT2) Oxidising substances.

EMS Number: 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC

56 F-A,S-Q

Code

Not applicable.

Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ): Limited quantities (LQ)

E2 1 kg

UN "Model Regulation":

UN3087, OXIDIZING SOLID, TOXIC, N.O.S. (Xenon difluoride), 5.1 (6.1), II

Page 5/5 Printing date 29.10.2015 Revision: 16.05.2014

Trade name Xenon difluoride

(Contd. of page 4)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Inventory of Chemical Substances Substance is listed.

Standard for the Uniform Scheduling of Drugs and Poisons Substance is not listed.

National regulations
Information about limitation of use:
Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations
ELINCS (European List of Notified Chemical Substances) Substance is not listed.
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Department issuing SDS: Global Marketing Department
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Mir Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPWB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

DF