

Grain Boundary Diffusion in the Polycrystalline CoCrFeNi and CoCrFeMnNi High Entropy Alloys

Marcel Reinhard Glienke



Faculty of Materialphysics

Master Thesis

Grain Boundary Diffusion in the Polycrystalline CoCrFeNi and
CoCrFeMnNi High Entropy Alloys.

Author: Marcel Reinhard Glienke
m_glie01@uni-muenster.de

Examiner: Prof. Dr. Gerhard Wilde

Second Examiner: PD Dr. Sergiy Divinski

Deadline: 01.11.19

Contents

1	Introduction	10
2	Theoretic Background	12
2.1	High Entropy Alloys	12
2.1.1	Definitions	12
2.1.2	Core Effects in High Entropy Alloys	13
2.2	HEAs in the Co-Cr-Fe-Mn-Ni systems	15
2.3	Grain Boundaries	15
2.4	Diffusion	19
2.4.1	Bulk Diffusion	19
2.4.2	Diffusion Jump Mechanisms and Temperature Dependence of the Diffusion Coefficient	22
2.4.3	Grain Boundary Diffusion	23
2.5	Grain Boundary Energy:	29
3	Experimental Details	31
3.1	Sample Preparation	31
3.2	Microstructure analysis	31
3.3	Tracer Diffusion Experiment	31
4	Results and Discussion	36
4.1	Microstructure Analysis	36
4.2	B-kinetic Regime Diffusion Profiles	41
4.2.1	CoCrFeNi	41
4.2.2	CoCrFeMnNi	44
4.3	C-kinetic Regime Diffusion Profiles	48
4.3.1	CoCrFeNi	49
4.3.2	CoCrFeMnNi	51
4.4	Temperature Dependence	53
4.4.1	CoCrFeNi	54
4.4.2	CoCrFeMnNi	56
4.5	Comparison of the diffusivities with other FCC matrices	58
4.6	Grain Boundary Energy	62
4.7	Time-Dependent Measurement at 643 K	63
4.7.1	CoCrFeNi	65
4.7.2	CoCrFeMnNi	66
4.8	Comparison of Individual and Multiple Tracer Experiments	67
4.8.1	CoCrFeNi	68
4.8.2	CoCrFeMnNi	69
5	Conclusion and Outlook	71
6	Appendix	72
6.1	BC-correction	72
6.2	Calculation of the Temperature Difference	72
6.3	Failed Experiment	73
7	Literature	74